

OWNER
Dory Marhamat
1075 Pomeroy St
Santa Clara, CA. 95051
phone: 408-

DESIGNER
 Nghi Thanh Le
 875 O'Farrell St. #104A
 San Francisco, CA 94109
 phone 415.515.2256
 fax 415.775.5342
 email lenghlarch@hotmail.com



PROPOSED PERSPECTIVE

PROJECT DISCRIPTION:

- DEMOLITION EXISTING HOME
- CONSTRUCTING 4 NEW SINGLE FAMILY HOMES

General Notes:

1. All construction shall comply in addition to the California Residential Code, California Energy Code, 2013 CBC, 2013 CEC, 2013 CMC, 2013 CPC, 2013 California Green Code, and all local codes and ordinances
2. Floor, ceiling, floor, and ceiling down ceilings, showers, soffits and concealed draft openings not to exceed 10 foot maximum.
3. The base for wall tile in tub and shower areas, wall and ceiling panels in shower areas shall be cementitious, floor covering or glass mat gypsum backers in compliance with ASTM C-1178, C1288, C1325
4. Smoke detectors in new construction shall be powered by building wiring current with battery backup.
5. Provide a fire warning system (Smoke Detectors) for each story and within each existing bedroom
6. Light fixtures in tub or shower enclosures and other wet/damp locations shall be labeled "suitable for damp locations"
7. Provide Class A fire-rated ceiling.
8. All dimensions shall be field verified and coordinated with all work of all trades
9. Ceiling heights are to be as shown on each drawing
10. Offset studs where required so that finish wall surfaces will be flush.
11. All dimensions are to column grid lines, face of studs, face of concrete, and face of cmu.
12. Contractor shall verify size and locations of all mechanical equipment as well as power, water and drain installation with equipment manufacturers before proceeding with the work.
13. Coordinate utilities shown on arch, dwgs. with mech, plumbing and electrical dwgs.
14. All services to all equipment shall be shown on arch, drawings
15. All dimensions shall be field verified and coordinate with all the dwgs.
15. Finish materials for all baths, showers, walls at shower enclosures shall have a smooth, hard nonabsorbent surface such as (frescoceramic tiles, portland cement.....)
16. Structural installation shall be required by the Engineer for structural conformance to the approved plans.
17. Special Inspections are required for drilled piers, concrete over 2500 psi.
18. Construction to provide waterproofing weather tight building.
19. Contractor shall flash and caulk as necessary to achieve the requirement.
20. Fire sprinkler system required. The sprinkler system shall be submitted to and approved by the Fire Department prior to installation.
21. The owner shall provide NFPD drawings for this project. Sprinkler contractor/owner provides drawings to Fire Department for approval prior to start the job



T.N. DESIGN
875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
•••
Tel: 415-515-2256
Fax: 415-775-5342
E-mail: lengharch@hotmail.com

4 New 2 Story
Residential
Sub-divide Pri

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

Title Sheet

Project Data :Address: 1075 Pomeroy St.
APN: 290-69-079

Building Code: 2013 CRC, CEC (Energy), CBC, CEC, CMC, CPC, CGC (Green)
 Planning Code : City of Santa Clara
 Zoning: R3-18 (PD)
 Lot Size: 12,400 sq.ft.
 Type of Construction: Type VB
 Occupancy Group: R-3/U
 Heights: 02 Story
 Maximum Height: Proposed: TYPE A: 24'-1"
 TYPE B: 24'-0"

FLOOR AREA			
Floor Area	Type A	Type B	Allowed
FIRST FLOOR	578,0 sqft	638,0 sqft	
SECOND FLOOR	1092,0 sqft.	1145,0 sqft,	
FLOOR AREA	1670,0 sqft,	1783,0 sqft,	
<i>GARAGE (excluded)</i>	430,0 sqft	455 sqft	

PARKING:
- 2 FOR EACH UNITS FOR TOTAL OF 8 & 2 ADDITION PARKING SPACES

PROJECT DATA		
	PROPOSED	ALLOWED FOR R3-18
LOT SIZE	12,400 sqft	8,500.0 sqft
LOT WIDTH	100'-0"	70'-0"
BUILDING HEIGHT	21'-0" TO 24'-0¾"	25'-0"
SIDE SETBACK	10'-0"	10'-0"
REAR SETBACK	15'-0"	15'-0"
FRONT SETBACK	15'-0" - 18'-0¾"	20'-0"
MAX. BUILDING COVERAGE	33.38%	35%

no.	revisions	date
	PD Submittal	05/06/2018
		

date issued: 05/06/2018

drawn by: NGHI THANH LE

job#: 1650-2018

drawing number

AO

of sheets

Copyright © 2018 T.N. DESIGN - SF

ABBREVIATIONS

[illegible]

SYMBOLS

LINE OF ITEM ABOVE OR BEYOND (SEE NOTE)		
ELEVATION REFERENCE POINT		
BUILDING SECTION		BUILDING SECTION LETTER REFERENCE SHEET NUMBER
WALL SECTION OF ELEVATION		SECTION OF ELEVATION NUMBER REFERENCE SHEET NUMBER
DETAIL		DETAIL NUMBER REFERENCE SHEET NUMBER
GUIDE TO INTERIOR ELEVATIONS		
ROOM NUMBER		BATH ROOM NAME ROOM NUMBER
EQUIPMENT NUMBER		
NORTH ARROW		
REVISION		REVISION NUMBER
DOOR REFERENCE		DOOR NUMBER
WINDOW REFERENCE		WINDOW NUMBER
COLUMN REFERENCE GRIDS		
CENTERLINES, FLOOR LINES IN EXTERIOR ELEVATIONS, PROJECTED LINES		DASH-DOT LINE
PROPERTY LINES, BOUNDARY LINES		DASH-DOUBLE LINE
		DOT LINE
BREAKS IN DRAWINGS		BREAK LINE
SECTION LINES AND SECTION REFERENCES		INDICATES SECTION NUMBER INDICATES DRAWING SHEET ON WHICH SECTION IS SHOWN

Sheet Index

A0	Title Sheet-Location Map, Title 24, General Notes, Abbreviations
A1A	Proposed Master/Site Plan
A1B	Proposed Site Elevations
A2	Proposed Floor Plans - Type A
A3	Proposed Floor Plans - Type B
A4	Proposed Building Elevations - Type A
A5	Proposed Building Elevations - Type B
A6	Proposed Building Elevations - Type A
A7	Proposed Building Elevations - Type B
A8	Proposed Building Sections - Type A
A9	Proposed Building Sections - Type B
L0	Imperious Surface Calculation
L1	Proposed Landscape Plan
C0	Tentative Map
C1	Grading & Drainage Plan
C2	Utility Plan
C3	Standard Details

PROJECT LOCATION





T.N. DESIGN

875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109

404
Tel: 415-519-2256
Fax: 415-775-3342
E-mail: tengharchi@tndesign.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

PROPOSED SITE PLAN

SCALE: $\frac{1}{8}" = 1'-0"$

no.	revisions	date
1	PD Submittal	05/06/2018

DATE ISSUED: 05/06/2018

DRAWN BY: NGHI THANH LE

JOB#: 1650-2018

DRAWING NUMBER

A1A

Copyright © 2018 T.N. DESIGN • SF





T.N. DESIGN
875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
Tel: 415-315-2256
Fax: 415-775-5342
E-mail: tngiaochi@hotmail.com

**4 New 2 Story
Residential
Sub-divide Prj**

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

**PROPOSED
SITE ELEVATIONS**
SCALE: 3/16" = 1'-0"

no.	revisions	date
1	PD Submittal	05/06/2018
2		
3		
4		

date issued: 05/06/2018

drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

A1B

of sheets
Copyright © 2018 T.N. DESIGN - SF



1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

SCALE: $\frac{1}{4}" = 1'-0"$

date issued: 05/06/2018

drawn by: NGHI THANH LE

job#: 1650-2018

drawing number

A

Copyright © 2018 T.N. DESIGN - SF



-  INDICATES (N) 1HR WALL
 INDICATES (N) AREA
 INDICATES HEAT REGISTER
 SMOKE DETECTOR
 SMOKE/CARBON MONOXIDE ALARM



ASHRAE 62.2 COMPLIANCE NOTES:

- ALL BATHROOM FANS ARE 20 CFM MIN.
- KITCHEN HOOD FAN IS 100 CFM. MIN.
- HVAC FILTER IS MERV 6 MIN., 1" THICK W/ MAX. 0.1" W.C. PRESSURE DROP

EGRESS WINDOW REQ.:


- AN OPENING FOR EMERGENCY THAT IS AT LEAST 5.7 SQUARE FEET IN OPENING AREA
- MINIMUM OPENING SIZE IS 20" WIDTH X 24" HIGH
- **IN ORDER TO MEET THE REQUIRED 5.7 SQFT TOTAL, EITHER THE WIDTH OR HEIGHT, OR BOTH MUST EXCEED THE MINIMUM DIMENSION**

FIRE/SAFETY REQ.:

- FIRE ALARMS SHOULD BE LISTED AS COMPLYING WITH UL217 AND BE INSTALLED & MAINTAINED IN ACCORDANCE WITH NFPA 72 & MANUF. INSTRUCTION
- CARBON MONOXIDE ALARM SHALL BE LISTED AS COMPLYING WITH UL2034 AND BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH NFPA720 AND THE MANF. INSTRUCTIONS


PLUMBING NOTES:

- PLUMBING NOTES:**
1. WHEN A SHOWER IS SERVED BY MORE THAN ONE SHOWERHEAD, THE COMBINED FLOW RATE OF ALL THE SHOWERHEADS AND/OR OTHER SHOWER OUTLETS CONTROLLED BY A SINGLE VALVE SHALL NOT EXCEED 2.0 GPM AT 80 PSI. IF THE SHOWER SHALL BE DESIGNED TO ALLOW ONLY ONE SHOWER OUTLET TO BE IN OPERATION AT A TIME, THE MAXIMUM FLOW RATE OF LAVATORY FAUCETS INSTALLED IN COMMON AND PUBLIC USE AREAS (OUTSIDE OF DWELLINGS OR SLEEPING UNITS) IN RESIDENTIAL BUILDINGS SHALL NOT EXCEED 0.5 GPM AT 60 PSI.
2. METRIC FAUCETS WHEN INSTALLED IN RESIDENTIAL BUILDINGS SHALL NOT DELIVER MORE THAN 0.25 GALLONS PER CYCLE.
3. AUTOMATIC IRRIGATION SYSTEMS CONTROLLERS INSTALLED AT THE TIME OF FINAL INSPECTION SHALL BE WEATHER OR SOIL-MOISTURE-BASED.



2 PROPOSED TYPE B 2ND FLOOR PLAN
A3 SCALE: 1/4" = 1'-0"

- INDICATES (N) 1HR WALL
- INDICATES (N) AREA
- INDICATES HEAT REGISTER
- SMOKE DETECTOR
- SMOKE/CARBON MONOXIDE ALARM



1 PROPOSED TYPE B 1ST FLOOR PLAN
A3 SCALE: 1/4" = 1'-0"

ASHRAE 62.2 COMPLIANCE NOTES:

- ALL BATHROOM FANS ARE 20 CFM MIN.
- KITCHEN HOOD FAN IS 100 CFM MIN.
- HVAC FILTER IS MERV 6 MIN., 1" THICK W/ MAX. 0.1" W.C. PRESSURE DROP

EGRESS WINDOW REQ.:


- AN OPENING FOR EMERGENCY THAT IS AT LEAST 5.7 SQUARE FEET IN OPENING AREA
- MINIMUM OPENING SIZE IS 20" WIDTH X 24" HIGH
- IN ORDER TO MEET THE REQUIRED 5.7 SQFT TOTAL, EITHER THE WIDTH OR HEIGHT, OR BOTH MUST EXCEED THE MINIMUM DIMENSION

FIRE/SAFETY REQ.:

- FIRE ALARMS SHOULD BE LISTED AS COMPLYING WITH UL217 AND BE INSTALLED & MAINTAINED IN ACCORDANCE WITH NFPA 72 & MANUF. INSTRUCTION
- CARBON MONOXIDE ALARM SHALL BE LISTED AS COMPLYING WITH UL2034 AND BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH NFPA720 AND THE MANF. INSTRUCTIONS

PLUMBING NOTES:

1. WHEN A SHOWER IS SERVED BY MORE THAN ONE SHOWERHEAD, THE COMBINED FLOW RATE OF ALL THE SHOWERHEADS AND/OR OTHER SHOWER OUTLETS CONTROLLED BY A SINGLE VALVE SHALL NOT EXCEED 2.0 GPM AT 80 PSI OR THE SHOWER SHALL BE DESIGNED TO ALLOW ONLY ONE SHOWER OUTLET TO BE IN OPERATION AT A TIME.
2. THE MAX. FLOW RATE OF LAVATORY FAUCETS INSTALLED IN COMMON AND PUBLIC USE AREAS OUTSIDE OF DWELLINGS OR SLEEPING UNITS IN RESIDENTIAL BUILDINGS SHALL NOT EXCEED 0.5 GPM AT 60 PSI.
3. METERED FAUCETS WHEN INSTALLED IN RESIDENTIAL BUILDINGS SHALL NOT DELIVER MORE THAN 0.5 GALLONS PER CYCLE.
4. AUTOMATIC IRRIGATION SYSTEMS CONTROLLERS INSTALLED AT THE TIME OF FINAL INSPECTION SHALL BE WEATHER OR SOIL MOISTURE-BASED.



T.N. DESIGN

875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
Tel: 415-515-2256
Fax: 415-775-5342
E-mail: lengharch@hotmail.com

4 New 2 Story
Residential
Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

PROPOSED
TYPE B FLOOR
PLANS

SCALE: 1/2" = 1'-0"

no.	revisions	date
1	PD Submittal	05/06/2018

date Issued: 05/06/2018


drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

A3

of sheets
Copyright © 2018 T.N. DESIGN • SF



T.N. DESIGN
 875 O'FARRELL STREET, #104A
 SAN FRANCISCO, CA. 94109
 Tel: 415-515-2256
 Fax: 415-775-5342
 E-mail: lengharch@hotmail.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
 Santa Clara, CA. 95051
 APN: 290-69-079

TYPE A BUILDING ELEVATIONS

SCALE: 1/2" = 1'-0"

no.	revisions	date
1	PD Submittal	05/06/2018

date Issued: 05/06/2018


drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

A4

Copyright © 2018 T.N. DESIGN - SF




PROPOSED TYPE A WEST ELEVATION
 SCALE: 1/4" = 1'-0"

- ◆ 1/2" CEMENT BOARD O/ 2 COATS OF STUCCO
- ◆ ASPHALT SINGLE ROOF - "CLASS A"
- ◆ SOLID GARAGE DOOR - STAIN
- ◆ 1X4 WD TRIM - PAINT
- ◆ DOUBLE PANE ALUMINUM FRAME WINDOW
- ◆ SOLID WOOD ENTRY DR. - STAIN
- ◆ 1X4 WD SIDING - STAIN
- ◆ METAL ROOF O/ 3X3 STEEL FRAME
- ◆ STUCCO CHIMNEY GAS FIREPLACE
- ◆ 2X6 FASCIA W/ PAINT
- ◆ TORCH DOWN/BUILT-UP ROOF - "CLASS A"
- ◆ EXTERIOR DOOR
- ◆ NOT USED
- ◆ 4" HEIGHT & 1/2" THICK MIN. BUILDING ADDRESS LOCATION
- ◆ EXTERIOR LIGHTING W/ FROSTED/OR TRANSLUCENT GLASS
- ◆ 1x6 BELLY BAND - PAINT
- ◆ 6'-0" STUCCO FENCE - MATCH HOUSE



NOTE:
 - NEW RAINWATER DOWNSPOUTS SHALL BE DISCONNECTED AND RUNOFF DIRECTED TO A LANDSCAPE AREA. DOWNSPOUTS MAYBE CONNECTED TO A POP-UP DRAINAGE Emitter IN THE LANDSCAPED AREA OR MAY DRAIN TO SPLASH BLOCKS OR COBBLESTONES THAT DIRECT WATER AWAY FROM THE BUILDING.
 - *THROUGH DRAINS ARE NOT ALLOWED.



PROPOSED TYPE A NORTH ELEVATION
 SCALE: 1/4" = 1'-0"



T.N. DESIGN
875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
Tel: 415-515-2256
Fax: 415-775-5342
E-mail: lenghiarch@hotmail.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: **290-69-079**

TYPE A BUILDING ELEVATIONS

SCALE: 1/2" = 1'-0"

no.	revisions	date
1	PD Submittal	05/06/2018
2		
3		
4		
5		
6		
7		
8		
9		
10		

date Issued: 05/06/2018

drawn by: NGHI THANH LE


Job#: 1650-2018

drawing number

A5

of sheets

Copyright © 2018 T.N. DESIGN • SF




PROPOSED TYPE A EAST ELEVATION
SCALE: 1/4" = 1'-0"




NOTE:
- NEW RAINWATER DOWNSPOUTS SHALL BE DISCONNECTED AND RUNOFF DIRECTED TO A LANDSCAPE AREA. DOWNSPOUTS MAY BE CONNECTED TO A ROOF DRAINAGE SYSTEM IN THE LANDSCAPED AREA OR MAY DRAIN TO SPLASH BLOCKS OR COBBLESTONES THAT DIRECT WATER AWAY FROM THE BUILDING.
- THROUGH DRAINS ARE NOT ALLOWED.

- 1/2" CEMENT BOARD OJ 2 COATS OF STUCCO
- ASPHALT SINGLE ROOF - "CLASS A"
- SOLID GARAGE DOOR - STAIN
- 1X4 WD TRIM - PAINT
- DOUBLE PANE ALUMINUM FRAME WINDOW
- SOLID WOOD ENTRY DR. - STAIN
- 1X4 WD SIDING - STAIN
- METAL ROOF OJ 3X3 STEEL FRAME
- STUCCO CHIMNEY GAS FIREPLACE
- 2X8 FASCIA W/ PAINT
- TORCH DOWN/BUILT-UP ROOF - "CLASS A"
- EXTERIOR DOOR
- NOT USED
- 4" HEIGHT & 1/2" THICK MIN. BUILDING ADDRESS LOCATION
- EXTERIOR LIGHTING W/ FROSTED/OR TRANSLUCENT GLASS
- 1X12 BELLY BAND - PAINT
- 6'-0" STUCCO FENCE - MATCH HOUSE



PROPOSED TYPE A SOUTH ELEVATION
SCALE: 1/4" = 1'-0"




PROPOSED TYPE B WEST ELEVATION
SCALE: 1/4" = 1'-0"

- 1/2" CEMENT BOARD O/ 2 COATS OF STUCCO
- ASPHALT SINGLE ROOF - "CLASS A"
- SOLID GARAGE DOOR - STAIN
- 1X4 WD TRIM - PAINT
- DOUBLE PANE ALUMINUM FRAME WINDOW
- SOLID WOOD ENTRY DR. - STAIN
- 1X4 WD SIDING - STAIN
- METAL ROOF O/ 3X3 STEEL FRAME
- STUCCO CHIMNEY GAS FIREPLACE
- 2X8 FASCIA W/ PAINT
- TORCH DOWN/BUILT-UP ROOF - "CLASS A"
- EXTERIOR DOOR
- NOT USED
- 4" HEIGHT & 1/2" THICK MIN. BUILDING ADDRESS LOCATION
- EXTERIOR LIGHTING W/ FROSTED/OR TRANSLUCENT GLASS
- 1X12 BELLY BAND - PAINT
- 6'-0" STUCCO FENCE - MATCH HOUSE



NOTE:
- NEW RAINWATER DOWNSPOUTS SHALL BE DISCONNECTED AND RUNOFF DIRECTED TO A LANDSCAPE AREA. DOWNSPOUTS MAY BE CONNECTED TO A POP-UP DRAINAGE EMITTER IN THE LANDSCAPED AREA OR MAY DRAIN TO SPLASH BLOCKS OR COBBLESTONES THAT DIRECT WATER AWAY FROM THE BUILDING.
- "THRU-CURS" DRAINS ARE NOT ALLOWED.



PROPOSED TYPE B NORTH ELEVATION
SCALE: 1/4" = 1'-0"



T.N. DESIGN
875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
Tel: 415-515-2256
Fax: 415-775-5342
E-mail: lengharch@hotmail.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: **290-69-079**

TYPE B BUILDING ELEVATIONS

SCALE: 1/2" = 1'-0"

no.	revisions	date
PD	Submittal	05/06/2018

date Issued: 05/06/2018


drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

A6

of sheets
Copyright © 2018 T.N. DESIGN • SF



T.N. DESIGN

875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
Tel: 415-515-2256
Fax: 415-775-5342
E-mail: lengharch@hotmail.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: **290-69-079**

TYPE B BUILDING ELEVATIONS

SCALE: 1/2" = 1'-0"

no.	revisions	date
1	PD Submittal	05/06/2018
2		
3		

date Issued: 05/06/2018

drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

A7

of sheets

Copyright © 2018 T.N. DESIGN • SF




PROPOSED TYPE B EAST ELEVATION
SCALE: 1/4" = 1'-0"


- 1/2" CEMENT BOARD OI 2 COATS OF STUCCO
- ASPHALT SINGLE ROOF - "CLASS A"
- SOLID GARAGE DOOR - STAIN
- 1X4 WD TRIM - PAINT
- DOUBLE PANE ALUMINUM FRAME WINDOW
- SOLID WOOD ENTRY DR. - STAIN
- 1X4 WD SIDING - STAIN
- METAL ROOF OI 3X3 STEEL FRAME
- STUCCO CHIMNEY GAS FIREPLACE
- 2X8 PASCA W/ PAINT
- TORCH DOWN/BUILT-UP ROOF - "CLASS A"
- EXTERIOR DOOR
- NOT USED
- 4" HEIGHT & 1/2" THICK MIN. BUILDING ADDRESS LOCATION
- EXTERIOR LIGHTING W/ FROSTED/OR TRANSLUCENT GLASS
- 1X12 BELLY BAND - PAINT
- 6'-0" STUCCO FENCE - MATCH HOUSE



- NOTE:**
- NEW RAINWATER DOWNSPOUTS SHALL BE DISCONNECTED AND RUNOFF DIRECTED TO A LANDSCAPE AREA. DOWNSPOUTS MAY BE CONNECTED TO A POPUP DRAINAGE FILTER IN THE LANDSCAPED AREA OR MAY DRAIN TO SPLASH BLOCKS OR COBBLESTONES THAT DIRECT WATER AWAY FROM THE BUILDING.
 - "THUR-CURB" DRAINS ARE NOT ALLOWED.




PROPOSED TYPE B SOUTH ELEVATION
SCALE: 1/4" = 1'-0"




PROPOSED TYPE B SECTION A-A
SCALE: 1/4" = 1'-0"

NOTE:
- NEW RAINWATER DOWNSPOUTS SHALL BE DISCONNECTED AND RUNOFF DIRECTED TO A LANDSCAPE AREA. DOWNSPOUTS MAY BE CONNECTED TO A POP-UP DRAINAGE EMITTER IN THE LANDSCAPED AREA OR MAY DRAIN TO SPLASH BLOCKS OR COBBLESTONES THAT DRAIN WATER AWAY FROM THE BUILDING.
- "THRU-CURS" DRAINS ARE NOT ALLOWED.



PROPOSED TYPE B SECTION B-B
SCALE: 1/4" = 1'-0"



T.N. DESIGN

875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109
Tel: 415-515-2256
Fax: 415-775-5342
E-mail: lengharch@hotmail.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

TYPE B BUILDING SECTIONS

SCALE: 1/2" = 1'-0"

no.	revisions	date
1	PD Submittal	05/06/2018

△

date Issued: 05/06/2018

drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

A9

of sheets
Copyright © 2018 T.N. DESIGN • SF



T.N. DESIGN

875 O'FARRELL STREET, #104A
SAN FRANCISCO, CA. 94109

Tel: 415-515-2256
Fax: 415-775-3342
E-mail: tengnarchi@tndnmail.com

4 New 2 Story Residential Sub-divide Prj

1075 Pomeroy St.
Santa Clara, CA. 95051
APN: 290-69-079

PROPOSED IMPERVIOUS SURFACE CAL.

SCALE: $\frac{3}{16}" = 1'-0"$

no.	revisions	date
1	PD Submittal	05/06/2018

date Issued: 05/06/2018

drawn by: NGHI THANH LE

Job#: 1650-2018

drawing number

L0

of sheets

Copyright © 2018 T.N. DESIGN • SF



Key	Botanical & Common Names	Qty.	Size	Water Req't.	Comments
T1	<i>Arbutus</i> s. "Marina" / Strawberry Tree	14	15 gl.	L	Standard
T2	<i>Cercis occidentalis</i> / Western Redbud	2	24" box	L	Standard
T3	<i>Platanus</i> c. "Keith Davis" / Chinese Platanus	2	36" box	L	Standard
T4	<i>Podocarpus gracilior</i> / Fern Pine	4	15 gl.	M	Standard
Shrubs:					
S1	<i>Alseodaphne</i> h. "Santa Cruz" / Hibiscus	6	5 gl.	L	Espalier
S2	<i>Arctostaphylos</i> d. "H. McMillen" / Manzanita	5	5 gl.	L	
S3	<i>Grewia califra</i> / Lavender Star Flower	10	25 gl.	M	
S4	<i>Lavatera assurgentiflora</i> / Tree Malvaceae	1	5 gl.	L	
S5	<i>Linum purpureum</i> / Annual Statice	41	1 gl.	L	Column
S6	<i>Lonicera</i> c. "Phyllis Delaney" / Vine Flower	12	5 gl.	L	
S7	<i>Myrica californica</i> / Pacific Wax Myrtle	4	5 gl.	L	
S8	<i>Nandina</i> d. "Gold Stream" / Heavenly Bamboo	28	5 gl.	S	
S9	<i>Prunus</i> c. "Compacta" / Carolina Laurel Cherry	5	5 gl.	M	
S10	<i>Polystichum montanum</i> / Western Sword Fern	8	1 gl.	M	
S11	<i>Salvia</i> s. "Turner's Red" / Autumn Sage	21	5 gl.	L	Standard
S12	<i>Salvia</i> m. "Hot Lips" / Sage	16	5 gl.	L	
S13	<i>Helictotrichon</i> s. "Sapphire" / Blue Out Grass	6	5 gl.	L	

* Water conservation classification is based on Water Use Classification of Landscape Species (WUCOLS) prepared by the Department of Water Conservation office of the Department of Water Resources (2000)

Provide root barrier for existing and new street trees within five (5') to ten (10') feet of sidewalk or utilities.

- Quantities in the Plant Legend are for general reference only (Verify count per Plan).
-

← indicates plant key
← indicates plant count
- Locations of trees and shrubs are schematic and shall be adjusted in the field to avoid conflicts with utilities, sprinklers, footings, etc.
- All planting areas to be topdressed with a 3" layer of fir bark mulch.

CALIFORNIA 95051


1134 Crane Street, Suite 216
Menlo Park, California 94025
(650) 823-0291 winterbotham@att.net

T-1

L1-1



N.T.S.



OWNER & SUBDIVIDER:

JARYOUSH MARHAMAT
627 SLEEPER AVE
MOUNTAIN VIEW, CA 94040
PH. (408) 898-6465

CIVIL ENGINEER & LAND SURVEYOR:

A.C. & H. CIVIL ENGINEERS
2423 "B" OLD MIDDLEFIELD WAY
MOUNTAIN VIEW, CA 94043
PH. (650) 625-9151

ASSESSOR'S PARCEL NUMBER:

290-69-079

EXISTING USE:

SINGLE FAMILY RESIDENCE

PROPOSE USE:

4 LOT6 SUBDIVISION (12383 sq. ft.)

ZONE:

R-3

ADDRESS:

1075 POMEROY AVE
SANTA CLARA, CA
95051

PROPERTY:

PORTION OF LOT 6 (124.96x100.00)
MAP OF THE SUBDIVISION OF THE
PROPERTY OF M. POMEROY, BEING
OF THE QUITO RANCHO
RECORDED SEPTEMBER 8, 1883
IN BOOK "A" OF MAPS, at PAGE 94 1/2

ALL UTILITIES ARE EXISTING
EXISTING STRUCTURE TO BE REMOVED

A. P. N. 290-69-1 to 78 (R.O.S. 125/29)



TENTATIVE MAP		
A.C. & H. CIVIL ENGINEERS		
PALO ALTO 2423 "B" OLD MIDDLEFIELD WAY SAN JOSE 1650 527-3800 MOUNTAIN VIEW, CA 94043 (408) 234-4000 (650) 625-9151		
DRAWN BY	FOR	DRAWING NO.
SCALE: 1"=10'	MARHAMAT	13-132
DATE: 07-20-06		1075 POMEROY AVE, SANTA CLARA

C-0

SHEET 1 OF 1